


INCLUDED PARTS








P6R


1x


P13


2x


1x






















1x







P2R


1x



ASSEMBLY TIPS



tips and videos



Scan for assembly

before beginning assembly Locate the box marked "Tool Included" PRODUCT CARE

LOLL TOOL

a garden hose and incorporating a soft bristle brush. Adding a tablespoon or two of your favorite eco-friendly soap to the wash will get everything squeaky clean. Mineral deposits left over from hard water can be removed with a solution of vinegar and water. Loll offers a cleaning kit that has everything you need for outside all year regardless of the season. It will not rot, even if left standing in water. Nonetheless, we're great results. Also see our cleaning video at lolldesigns.com/videos. pretty sure your Loll furniture will get a lot of use and will at some point need cleaning. We recommend Your new Loll furniture is a no maintenance product. You'll never need to paint or stain it and it can be left

5 YR WARRANTY

quality and workmanship, free from faults and defects. Loll warrants that all components will not fail, We sit beside, on top, and beneath the quality of our fine furniture and will make things right if you are not completely satisfied with your purchase. Loll Designs hereby guarantees that the piece will be of good orders the warranty is three years. under normal use, for five years from the year mark on the piece or the date of purchase. *For commercial Loll Designs strives to build long-term relationships based on confidence and trust with our customers.

DAMAGED PRODUCT

Insert bolts through countersunk hole side of blocks as shown below

BLOCK & BOLT INSTALLATION

contact your Loll Sales Associate or Customer Service for support at 877.740.3387. A Pro Tool Kit can also

www.lolldesigns.com/videos for even more information and visual aids. If you have more questions please muscle the bolt any tighter. It's virtually impossible to over tighten by hand. Watch the assembly videos at

** Please Recycle the BOX and paper packaging. The green plastic stretch wrap we use is compostable.

with the Allen Key, or the Loll Tool and tighten firmly until parts are drawn tight together and you can't can easily overtighten and damage the product. All bolts come standard with a thread coating to reduce bolts loosening after assembly while still allowing removal and reuse of the bolt. Start all bolts by hand,

an electric drill with a cord and without a clutch to install bolts in inserts as you

<u>to use it</u>. Set the clutch setting at medium torque. We do not recommend using

a return is necessary. contacted with a solution to the problem. It may be helpful to save all of your packaging material in case furniture and the box it was shipped in, and email them to sales@lolldesigns.com or call Customer Service using our toll free number: 877.740.3387, ext. 1. The damage will be assessed and you will be not been damaged during shipping. If damage has occurred please take digital pictures of the damaged Sometimes accidents occur. Please inspect your Loll furniture when you receive it to make sure that it has

We want you to love your Loll.

Reach out if you need lollygagging assistance.

5912 Waseca Street | Duluth, Minnesota 55807

Countersunk

CORRECT

INCORRECT









ASSEMBLY IN STRUCTIONS & PRODUCT INFO:

TALL ADIRONDACK CHAIR

2 SLAT / 3 SLAT / 4 SLAT

24x **22**x *Bolt shown actual size

Loll Designs inspires people to appreciate the outdoors

